

Contents

Notation and symbols	I
Acronyms	III
1. Introduction	1
1.1. Objective	2
1.2. Related work	3
1.3. Problem description	5
1.4. Outline	6
1.5. Contributions	8
2. Fast convolution techniques	9
2.1. Discrete convolution	10
2.2. Linear convolution	11
2.3. Circular convolution	15
2.4. Interpolation-based fast convolution	17
2.4.1. Toom-Cook algorithm	19
2.4.2. Karatsuba algorithm	20
2.4.3. Improved Karatsuba convolution	22
2.4.4. Conclusions	25
2.5. Transform-based fast convolution	25
2.5.1. Discrete Fourier Transform	27
2.5.2. Fast Fourier Transform	28
2.5.3. Symmetric filters	36
2.5.4. Partial DFTs	38
2.5.5. Discrete Hartley Transform	44
2.5.6. Discrete Trigonometric Transforms	47
2.5.7. Number Theoretic Transforms	51
2.6. Number theoretic convolution techniques	54
2.6.1. Multidimensional index mapping	55
2.6.2. Agarwal-Cooley convolution algorithm	58
2.6.3. Winograd convolution algorithm	58
2.7. Summary	60

3. Partitioned convolution techniques	63
3.1. Input partitioning	65
3.1.1. Running convolutions	65
3.2. Filter partitioning	68
3.2.1. Filter partitioning scheme	68
3.2.2. Filter structure	71
3.3. Classification of partitioned convolution algorithms	72
4. Elementary real-time FIR filtering using FFT-based convolution	75
4.1. FFT-based running convolutions	75
4.1.1. Overlap-Add	76
4.1.2. Overlap-Save	76
4.1.3. Computational complexity	77
4.1.4. Transform sizes	80
4.1.5. Performance	81
4.1.6. Conclusions	86
4.2. Filters with multiple inputs and outputs	86
4.2.1. Dual channel convolutions	87
4.3. Filter networks	90
4.4. Filter exchange strategies	93
4.4.1. Time-domain crossfading	95
4.4.2. Frequency-domain crossfading	97
4.5. Summary	103
5. Uniformly partitioned convolution algorithms	105
5.1. Motivation	105
5.1.1. Uniform filter partitions	108
5.2. Standard algorithm	108
5.2.1. Computational complexity	111
5.2.2. Performance	113
5.2.3. Conclusions	118
5.3. Generalized algorithm	120
5.3.1. Conditions for frequency-domain processing	120
5.3.2. Procedure	125
5.3.3. Utilization of the transform period	127
5.3.4. Parameters	128
5.3.5. Computational costs	132
5.3.6. Performance	133
5.3.7. Conclusions	138
5.4. Multi-dimensional convolutions	139
5.5. Filter with multiple inputs or outputs	140
5.6. Filter networks	141
5.7. Filter exchange strategies	142
5.8. Summary	143

6. Non-uniformly partitioned convolution	147
6.1. Motivation	148
6.2. History	149
6.3. Non-uniform filter partitions	150
6.4. Basic algorithm	152
6.4.1. Standard parameters	154
6.4.2. Computational complexity	155
6.4.3. Timing dependencies	156
6.4.4. Causal partitions	160
6.4.5. Canonical partition	161
6.4.6. Gardner's partitioning scheme	163
6.5. Optimized filter partitions	165
6.5.1. Optimization problem	165
6.5.2. Optimization algorithm	166
6.5.3. Minimal-load partitions	169
6.5.4. Practical partitions	170
6.6. Performance	172
6.7. Complexity classes	178
6.8. Implementation	181
6.9. Filters with multiple inputs and outputs	184
6.10. Filter networks	186
6.11. Filter exchange strategies	189
6.12. Real-time room acoustic auralization	191
6.13. Perceptual convolution	194
6.14. Summary	195
7. Benchmarks	197
7.1. Benchmark-based cost models	197
7.2. Test system	198
7.3. Benchmark technique	199
7.3.1. Performance profiles	200
7.3.2. Measurement procedure	200
7.3.3. High resolution timing	202
7.3.4. Initial behavior	203
7.3.5. Transient behavior	203
7.3.6. Outlier detection	204
7.3.7. Robustness	204
7.4. Basic operations	206
7.4.1. Cost relations	209
7.5. Accuracy	212
7.6. Efficient FFTs	213
7.7. Conclusions	219

8. Conclusion	221
8.1. Summary	221
8.2. Guidelines	224
8.3. Outlook	227
A. Appendix	229
A.1. Real-time audio processing	229
A.2. Optimized non-uniform filter partitions	232
A.3. Identities	246
Bibliography	247
Acknowledgements	257